

# Horizon Series

Whether you are planning a new home or remodeling an older one, an energy efficient Valor Gas Fireplace is a wise investment that will pay you dividends for years to follow.

Every one of our unique and exquisitely designed fire fronts is powered by a direct-vent engine with advanced features incorporating decades of experience as innovators within the industry.

The pay-off is superior room comfort, lower operating costs and a fireside ambiance that is timeless.

*At the end of the day...*



*...a fireplace worth coming home to.*

**Valor**  
by Miles

[www.valorfireplaces.com](http://www.valorfireplaces.com)

610FVI DoubleDoor FenderFire Front  
with 614CVI Arched Cast Surround

A Valor Gas Fireplace Collection

# Horizon Series



610FVI DoubleDoor FenderFire Front with 615CVI Original Cast Surround.

*Whether you enjoy your quiet time relaxing with your favorite book, or spending time snuggling with a loved one, each of our Valor Horizon Series Gas Fireplaces is sure to enhance every moment.*

**Valor**  
Radiant Gas Fireplaces

**FENDER FIRE**

Our unique FenderFire screen fronts create the aesthetic appeal of a wood-burning fireplace while providing all the advantages of Valor's advanced gas technology. The glass virtually disappears behind the spiral logs, nestled in a carefully designed fire grate.



**NEW**  
SingleDoor FenderFire  
&  
Arched Cast Surround

The FenderFire system now lets you mix 'n' match!  
Each front is available on its own or may be used with one of our cast surround plates to create a complete look that requires nothing further.

611FVI SingleDoor FenderFire Front with 614CVI Arched Cast Surround.

*Styled for formal or casual room settings. The rest of the look is up to you!*



**RE**  
ic of a wood-burning fireplace  
ced direct-vent technology.  
creening as you watch the  
ate, burn and glow.

611FVI SingleDoor FenderFire Front shown without cast surround plate.

# The Valor Classic Collection

## Contemporary Steel

The clean lines and simple design make this the perfect choice for any room. The louvered look combines beautifully with the 3 or 4-sided Contour Trim.

## Traditional Cast

Elegant and distinct, this is sure to be a special addition to your home. Its gracefully and architecturally inspired details are pleasing to the eye and will add an interesting element to that special space.



60ISFB Contemporary Steel Front shown without trim.



602CFB Traditional Cast Front with 603FSK Trim (3-sided).



## Standard Features

- ▶ Valor Comfort Warranty Program
- ▶ ValorStat plus Remote Control
- ▶ Authentic Looking Firebrick Liners
- ▶ Large Ceramic Glass Viewing Window
- ▶ 6 Piece, Detailed Ceramic Log Set

See specifications on back to view available options and combinations.



The ValorStat<sup>plus</sup> remote control is a standard feature with all the Horizon Series units. A handy storage mount is also included.



## ValorStat<sup>plus</sup>

This unique programmable remote control lets you control your fireplace in 3 different ways.

- Manually set your desired heat and flame height.
- Set a time to turn your fireplace on or off.
- Use the automatic mode to adjust your fire up or down to maintain the room temperature that you set.

# the magic of Radiant Heat

Heating technologists have long known that radiant heat satisfies human comfort requirements with up to 30% less energy when compared to warm air systems. Like sunshine, radiant energy is efficiently distributed at light speed, converting to heat when it encounters people and objects in a room. Our unique Valorflame burner technology maximizes the radiant output of our fires for a natural and soothing warmth that will keep you comfortable even with lower air temperatures. A BTU of Valor heat output will be more effective at making you feel comfortable than the equivalent BTU of heat from your forced air furnace and from other, less radiant gas fireplace designs. This is one of the reasons why our maximum BTU range - 24 000 or 30 000 for the Horizon Series- is all the heating power that you will likely need for most room applications.

### HEAT WITHOUT ELECTRICITY


Specially designed heat exchangers are incorporated into every Valor fireplace to naturally circulate warm air by convection. While we still offer a fan as an option, you'll likely find it unnecessary.

### HEAT WITHOUT A FAN


When the power fails, your Valor won't! No electrical hook-up requirement means that a Valor is a great choice as a standby heating system for areas susceptible to blackouts.



Cool air gets drawn into the convection chamber where it is heated. The air then convects into your room providing a consistent and even temperature.



Air Temp.  
20 C / 70 F



Air Temp.  
20 C / 70 F

You feel comfortable when radiant heat comes in contact with you.

# The Valor Classic Collection




60ISFB  
Contemporary Steel



602CFB  
Traditional Cast




603FSK\*  
3-Sided Trim




605FSK\*  
4-Sided Trim

Black Powder Coat Finish

# FENDERFIRE



610FVI  
DD FenderFire



611FVI  
SD FenderFire



614CVI\*  
Arched Cast Surround




615CVI\*  
Original Cast Surround

Vintage Iron Finish


## FRONT & TRIM DIMENSIONS

model #	height	width
60ISFB	29 3/4"	32 3/16"
602CFB	29 3/4"	32 3/16"
603FSK*	31 1/8"	35"
605FSK*	32 5/8"	35"
610FVI	31 3/4"	35 3/4"
611FVI	31 3/4"	35 3/4"
614CVI*	36 3/8"	45 1/2"
615CVI*	35 3/4"	45 1/4"

\* trims and surrounds are optional



Please note: Diagrams for reference only. For further installation details, call your Valor dealer or visit our website [www.valorfireplaces.com](http://www.valorfireplaces.com).



POSSIBLE VENTING OPTIONS

Model	Fuel	Vent Type	Max. Input BTU/hr	Min. Input BTU/hr	Max. Output w/out fan	Energuide Rating P4.1	Steady State Efficiency w/out fan	Top Outlet Direct Vent	Rear Outlet Direct Vent
534XAN	NG	Direct Vent	24 000	6 500	17 480	68.2%	72.9%	✓	✓
534XAP	LP	Direct Vent	24 000	13 000	17 480	68.2%	72.9%	✓	✓
535XAN	NG	Direct Vent	30 000	6 500	20 630	63.6%	68.8%	✓	✗
535XAP	LP	Direct Vent	28 000	14 500	19 640	62.6%	70.2%	✓	✗

Certified to ANSI/Z21.88 CAN 2.33 2002 Vented Gas Fireplace Heater Standard CAN I-2. 17 Gas Fired Appliance For Use at High Altitude  
\* Information is correct at the time of printing and is subject to change.

FIRST CLASS ADVICE FROM

YOUR AUTHORIZED VALOR DEALER



[www.valorfireplaces.com](http://www.valorfireplaces.com)



manufactured by:



Copyright Miles Industries Ltd. 2004